



- + Compact and simple
- + Choose constant 100V or 200V output
- + Two pairs of output terminals



Ordering Information:

Item No.	Description:
E2100*	myVolt™ Mini Power Supply, 100V / 200V

*Includes US plug. For EU plug, please add (-E).

Technical Data:

Voltage Output:	100V or 200V constant
Current Output:	Max. 200mA
Max Wattage:	40W
Output Terminals:	2 pairs (wired in parallel)
Dimensions:	6.25 x 4.5 x 2.25in. / 16 x 11.5 x 5.7 cm
Weight:	0.9lbs (0.4kg)
Electrical:	100 - 240V, 50 - 60Hz
Warranty:	2 years

myVolt™ Touch Power Supply



- + Touchscreen control
- + Dual orientation, auto-rotating display (fits anywhere in a crowded lab)
- + Intuitive programming
- + Control voltage or amperage



Dual Orientation, Auto-Rotating Display

The Accuris myVolt Touch is a dependable electrophoresis power supply that includes all of the performance and specifications needed for efficient separation of nucleic acids and proteins. Perfect for agarose gels and protein separations, the myVolt Touch incorporates some very unique user-friendly features:

Touch-screen Control Panel: Setting up an electrophoresis run with the myVolt Touch couldn't be easier... simply touch the parameter that you want to change and then touch "Start" to begin the run.

Technical Data:

Output Settings:	Constant voltage or constant current
Voltage Output:	10 - 300V (5V increments)
Current Output:	5 - 400mA (5mA increments)
Max Wattage:	80W
Timer:	1 min. to 99 hours 59 min.
Output Terminals:	4 pairs (wired in parallel)
Safety:	No load, load change, overload detection
Display:	2 x 2in. touchscreen LCD
Dimensions: (W x D x H)	8.5 x 6.3 x 4.0in. / 21.5 x 15.5 x 9.75 cm
Weight:	3.5lbs (1.6kg)
Electrical:	115V, 60Hz or 230V, 50Hz
Warranty:	2 years

Dual Orientation, Auto-Rotating Display: The myVolt Touch packs plenty of power and features into a compact housing. But for those crowded lab benches, we've taken our design a step further. The myVolt can be oriented horizontally or vertically to fit the space available either on the lab bench or a shelf. When the power supply is tilted up vertically or back down horizontally, the display automatically rotates. Folding feet can be extended when the power supply is horizontal for convenient access and viewing of the touch screen. When set vertically, the touchscreen is also tilted up toward the user.

Ordering Information:

Item No.	Description:
E2300*	myVolt™ Touch Power Supply, 1 to 300V max, 400mA

*115V with US plug. For 230V (EU plug), please add (-E).