

SAFETY DATA SHEET

SECTION 1 - CHEMICAL IDENTIFICATION

PRODUCT NAME: CATALOG #: SUPPLIER'S NAME: SUPPLIERS ADDRESS: EMERGENCY CONTACT: OTHER INFORMATION: OTHER INFORMATION: Acrylamide/Bis-Acrylamide, 37.5:1 Solution DSA11410 DOT SCIENTIFIC INC. 4165 Lippincott, Burton, MI 48519 1-800-424-9300 (Reference Customer Number: 18739) 1-800-878-1785 800-878-1785

SECTION 2 - HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

| H301 | Acute toxicity, oral | Category 3 |
|------|----------------------------------------------------------|------------|
| H312 | Acute toxicity, dermal | Category 4 |
| H315 | Skin corrosion/irritation | Category 2 |
| H317 | Skin Sensitisation | Category 1 |
| H319 | Serious eye damage/eye irritation | Category 2 |
| H332 | Acute toxicity, inhalation | Category 4 |
| H340 | Germ cell mutagenicity | Category 1 |
| H350 | Carcinogenicity | Category 1 |
| H361 | Reproductive toxicity | Category 2 |
| H372 | Specific target organ toxicity, repeated exposure Catego | |
| H402 | Acute aquatic toxicity | Category 3 |

2.2 GHS Label elements, including Hazard and Precautionary Statement(s) Pictogram





Signal word: Danger Hazard statement(s)

| H301 | Toxic if swallowed |
|------|----------------------------------------------------------------|
| H312 | Harmful in contact with skin |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H332 | Harmful if inhaled |
| H340 | May cause genetic defects |
| H350 | May causing cancer |
| H361 | Suspected of damaging fertility or the unborn child |
| H372 | Causes damage to organs through prolonged or repeated exposure |
| H402 | Harmful to aquatic life |

Prevention, Response, Storage and Disposal Precautionary Statement(s)

| P201 | Obtain special instructions before use |
|------|---------------------------------------------------------------------------|
| P202 | Do not handle until all safety precautions have been read and understood. |
| | 4168 Linningstt, Burton Michigan 48510 |

4168 Lippincott · Burton, Michigan 48519 Phone: (810) 744-1475 · Toll Free: (800) 878-1785 · Fax: (810) 744-2865 E-Mail: sales@dotscientific.com · Website: www.dotscientific.com

| P260 | Do not breathe dust/fume/gas/mist/vapors/spray. | |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------|--|
| P261 | Avoid breathing dust/fume/gas/mist/vapors/spray. | |
| P264 | Wash skin thoroughly after handling | |
| P270 | Do not eat, drink or smoke when using this product. | |
| P271 | Use only outdoors or in a well-ventilated area. | |
| P272 | Contaminated work clothing should not be allowed out of the workplace. | |
| P273 | Avoid release to the environment | |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. | |
| P301 + P310 | IF SWALLOWED: Call a POISON CENTER or doctor/physician . | |
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. | |
| P304 + P340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. | |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | |
| P308 + P313 | IF exposed or concerned: Get medical advice/ attention. | |
| P312 | Call a POISON CENTER or doctor/physician if you feel unwell. | |
| P314 | Get medical advice/attention if you feel unwell. | |
| P321 | Specific treatment (see. on this label). | |
| P330 | Rinse mouth. | |
| P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention. | |
| P337+P313 | If eye irritation persists: Get medical advice/attention. | |
| P332 + P313 | If skin irritation occurs: Get medical advice/attention. | |
| P362 + P364 | Take off contaminated clothing and wash before reuse. | |
| P405 | Store locked up. | |
| P501 | Dispose of contents/ container to an approved waste disposal plant. | |

SECTION 3- COMPOSITION/INFORMATION ON INGREDIENTS

| Component | CAS# | EINECS# | W/V % |
|-----------------------|-----------|-----------|-------|
| Acrylamide | 79-06-1 | 201-173-7 | 38.96 |
| Bis-Acrylamide | 110-26-9 | 203-750-9 | 1.04 |
| MOLECULAR GRADE WATER | 7732-18-5 | 231-791-2 | Q.S |

SECTION 4 - FIRST-AID MEASURES

4.1 Description of first aid measures

General advice: Consult a doctor and show this safety data sheet.

- i. **If inhaled:** Remove to fresh air and monitor breathing. If breathing becomes difficult, give oxygen. If breathing stops, give artificial respiration. Consult a doctor.
- ii. **In case of skin contact:** Immediately wash skin with copious amounts of soap and water for at least 15 minutes. Remove contaminated clothing and shoes and wash before reuse. Consult a doctor.
- iii. In case of eye contact: Flush with copious amounts of water for at least 15 minutes. Consult a doctor.
- iv. **If swallowed:** Rinse mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed: To the best of our knowledge, the chemical, physical and toxicological properties have not been thoroughly investigated.

4.3 Indication of immediate medical attention and special treatment needed: Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide

5.2 Special hazards arising from the substance or mixture: Carbon oxides, Nitrogen oxides (NOx).

5.3 Precautions for fire-fighters: Wear suitable protective clothing to prevent contact with skin and eyes and self-contained breathing apparatus.

5.4 Further information: No data available

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures: Do not take action without suitable protective clothing - see section 8 of SDS. Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid breathing vapors, mist, dust or gas.

6.2 Environmental precautions: Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up: Cover spillage with suitable absorbent material. Using non-spark tools, sweep up material and place in an appropriate container. Decontaminate spill site with 10% caustic solution and ventilate area until after disposal is complete. Hold all material for appropriate disposal as described under section 13 of SDS.

6.4 Reference to other sections: For required PPE see section 8. For disposal see section 13.

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for safe handling: Use in a chemical fume hood, with air supplied by an independent system. Avoid inhalation, contact with eyes, skin and clothing. Avoid the formation of dust and aerosols. Use in a well-ventilated area. Keep away from sources of ignition. Avoid prolonged or repeated exposure.

7.2 Conditions for safe storage, including any incompatibilities: Store in cool, well-ventilated area. Keep away from direct sunlight. Keep container tightly sealed until ready for use.. Keep in a dry place.

7.3 Specific end use(s): Use in a laboratory fume hood where possible. Refer to employer's COSHH risk assessment.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters Components with workplace control parameters:

| Component | Acrylamide | Acrylamide | Acrylamide |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CAS# | 79-06-1 | 79-06-1 | 79-06-1 |
| Value | TWA | ТWА | TWA |
| Control Parameters | 0.300000 mg/m3 | 0.300000 mg/m3 | 0.300000 mg/m3 |
| Basis | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants Remarks Skin designation | USA. NIOSH Recommended Exposure Limits Potential Occupational Carcinogen See Appendix A Potential for dermal absorption | USA. ACGIH Threshold Limit Values (TLV) Central Nervous System impairment Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption |

8.2 Exposure Controls

i. **Appropriate engineering controls:** Use in a fume hood where applicable. Ensure all engineering measures described under section 7 of SDS are in place. Ensure laboratory is equipped with a safety shower and eye wash station.

8.3 Personal protective equipment

- i. **Eye/face protection:** Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
- ii. **Skin protection:** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166
- iii. Body Protection: Wear appropriate protective clothing. Complete suit protecting against chemicals, The type of

protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

- iv. Respiratory Protection: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
- v. Control of environmental exposure: Do not let product enter drains

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES Information on basic physical and chemical properties

| • • | | | |
|---------------------------------------------------|-------------------|---------------------------|-------------------|
| Appearance | Liquid | Vapor Pressure | No Data Available |
| Odor | No Data Available | Vapor Density | No Data Available |
| Odor Threshold | No Data Available | Relative Density | No Data Available |
| рН | No Data Available | Water Solubility | No Data Available |
| Melting / Freezing Point | No Data Available | Partition Coefficient | No Data Available |
| Initial Boiling Point Range | No Data Available | Auto-Ignition Temperature | No Data Available |
| Flash Point | No Data Available | Decomposition Temperature | No Data Available |
| Evaporation Rate | No Data Available | Viscosity | No Data Available |
| Flammability (Solid, Gas) | No Data Available | Explosive Properties | No Data Available |
| Upper / Lower Flammability Or Explosive Limits | No Data Available | Oxidizing Properties | No Data Available |

SECTION 10 - STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions. Hazardous Decomposition Products: No Data Available. Hazardous Polymerization: No Data Available. Incompatibilities: No Data Available.

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity

| Component | LD50 Oral | LD50Dermal | LC50 inhalation | | | |
|--------------------------------------------------------------------------------|-----------------|----------------------|--------------------------|--|--|--|
| Acrylamide | 177 mg/kg (Rat) | 1,141 mg/kg (Rabbit) | > 1,500 mg/m (Rat) 4 h | | | |
| Carcinogenicity: Possible cancer hazard. May cause cancer based on animal data | | | | | | |

| Component | CAS# | IARC | NTP | ACGIH | OSHA | Mexico |
|------------|---------|----------|------------------------|-------|--------|--------|
| Acrylamide | 79-06-1 | Group 2A | Reasonably Anticipated | A3 | Listed | A3 |

Mutagenic Effects: May cause heritable genetic damage

Reproductive Effects: Category 2: Substances which should be regarded as if they impair fertility in humans. **STOT - single exposure:** Central nervous system (CNS)

SECTION 12 - ECOLOGICAL INFORMATION

Eco Toxicity: Do not empty into drains.

| Freshwater Fish | Water Flea |
|------------------------|------------------------------------------------------------------------------------------------|
| 124 mg/L LC50 96 h | 98 mg/L EC50 = 48 h |
| 74-150 mg/L LC50 96 h | |
| 81-150 mg/L LC50 96 h | |
| 103-115 mg/L LC50 96 h | |
| 137-191 mg/L LC50 96 h | |
| | 124 mg/L LC50 96 h 74-150 mg/L LC50 96 h 81-150 mg/L LC50 96 h 103-115 mg/L LC50 96 h |

| Mobility | 1 |
|----------|---|
|----------|---|

| Component | log Pow |
|------------|---------|
| Acrylamide | -1.24 |

Persistence and degradability/ Bioaccumlative potential: No data available

Results of PBT and vPvB assessment: No data available

Other adverse effects: No data available

Chronic Toxicity: There are no known carcinogenic chemicals in this product

SECTION 13 - DISPOSAL CONSIDERATIONS

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

| Component | CAS# | RCRA - U Series Wastes |
|------------|---------|------------------------|
| Acrylamide | 79-06-1 | U007 |

SECTION 14 - TRANSPORT INFORMATION

| | UN# | Proper Shipping Name | Hazard Class | Packaging Group |
|----------|------|----------------------|--------------|-----------------|
| DOT | 3426 | Acrylamide, Solution | 6.1 | III |
| TDG | 3426 | Acrylamide, Solution | 6.1 | III |
| ΙΑΤΑ | 3426 | Acrylamide, Solution | 6.1 | III |
| IMDG/IMO | 3426 | Acrylamide, Solution | 6.1 | III |

SECTION 15 - REGULATORY INFORMATION

INTERNATIONAL INVENTORIES

| INGRED | IENT: Acry | /lamide | | | | | CAS a | #:79-06-1 | EINECS#:201-173-7 |
|--------|------------|---------|--------|-----|--------|--------|--------|-----------|-------------------|
| TSCA | DSL | NDSL | ELINCS | NLP | PICCS | ENCS | AICS | CHINA | KECL |
| Listed | Listed | - | - | - | Listed | Listed | Listed | Listed | Listed |

| INGRED | IENT: Bis- | Acrylam | ide | | | | CAS # | :110-26-9 | EINECS#:203-750-9 |
|--------|------------|---------|--------|-----|--------|--------|--------|-----------|-------------------|
| TSCA | DSL | NDSL | ELINCS | NLP | PICCS | ENCS | AICS | CHINA | KECL |
| Listed | Listed | - | - | _ | Listed | Listed | Listed | Listed | Listed |

| INGRED | IENT: WA | TER | | | С | AS #:7732-18 | 8-5 | EIN | ECS#:231-791-2 |
|--------|----------|------|--------|-----|--------|--------------|--------|--------|----------------|
| TSCA | DSL | NDSL | ELINCS | NLP | PICCS | ENCS | AICS | CHINA | KECL |
| Listed | Listed | - | - | - | Listed | Listed | Listed | Listed | Listed |

USA FEDERAL REGULATION SARA 311/312 HAZARDOUS CATEGORIZATION

| Acute Health | Chronic Health | Fire Hazard | Sudden Release Of | Reactive |
|--------------|----------------|-------------|-------------------|----------|
| Hazard | Hazard | | Pressure Hazard | Hazard |
| Yes | Yes | No | No | No |

OSHA /TSCA 12(b)/ Clean Water Act: Not Applicable

| | | JANA J | |
|------------|---------|---------|-------------------------------|
| Component | CAS# | Weight% | SARA 313 – Threshold Values % |
| Acrylamide | 79-06-1 | 90-99 | 0.1 |

Clean Air Act

| Component | CAS# | HAPS Data |
|------------|---------|-----------|
| Acrylamide | 79-06-1 | Listed |

California Proposition 65: This product contains Proposition 65 chemicals.

| Component | CAS# | California Prop. 65 | Prop 65 NSRL | Category |
|------------|---------|-----------------------------------------------|--------------|-----------------------------|
| Acrylamide | 79-06-1 | Carcinogen Developmental Male Reproductive | 0.2 µg/day | Developmental Carcinogen |

CERCLA

| Component | Hazardous Substances RQs | CERCLA EHS RQs |
|-----------|--------------------------|----------------|
| | | |

Phone: (810) 744-1475 · Toll Free: (800) 878-1785 · Fax: (810) 744-2865

| Acrylamide 5000 lb 5000 lb |
|----------------------------|
|----------------------------|

| Health hazard | Chronic Health Hazard | Flammability | Physical Hazard |
|---------------|-----------------------|--------------|-----------------|
| 2 | 0 | 0 | 1 |

NFPA RATING

| Health hazard | Chronic Health Hazard | Flammability | Reactivity Hazard |
|---------------|-----------------------|--------------|-------------------|
| 2 | 0 | 0 | 0 |

STATE RIGHT TO KNOW

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|------------|---------------|------------|--------------|----------|--------------|
| Acrylamide | Listed | Listed | Listed | Listed | Listed |

US DEPARTMENT OF TRANSPORTATION

| REPORTABLE QUANTITY (RQ) | DOT MARINE POLLUTANT | DOT SEVER MARINE POLLUTANT |
|--------------------------|----------------------|----------------------------|
| Νο | Νο | Νο |

U.S. DEPARTMENT OF HOMELAND SECURITY: This product does not contain any DHS chemicals.

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

This SDS complies with the requirements of Regulation (EC).

SECTION 16 - OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. DOT SCIENTIFIC INC. shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. This product is sold for laboratory research and development purposes use only. REV October 2015